

Listing of the Claims:

Claims 1-20 (cancelled).

21. (New) A method of transferring a plurality of personalized information from a first portable device having a first memory to a second portable device having a second memory, comprising steps of:

establishing a connection between the first portable device and a computing device;
transmitting a first set of one or more of the plurality of personalized information of the first portable device from said first memory to the computing device;
receiving a user selection of a second set of one or more personalized information to be transmitted to the second portable device, wherein the second set is selected from the first set of one or more personalized information;
establishing a connection between the computing device and the second portable device;
modifying the second set of one or more personalized information in accordance with the capabilities of the second portable device; and
transmitting the modified second set of one or more personalized information to the second portable device.

22. (New) The method according to claim 21, wherein the personalized information includes at least one of a phonebook content, a message content, a profile setting, a phone and call setting or a service setting.

23. (New) The method according to claim 21, wherein the established connections between the computing device and the first and second portable devices are a wire-based data connection.

24. (New) The method according to claim 21, further comprising step of:
evaluating the second phone's capabilities to receive the selected one or more personalized information.

25. (New) The method according to claim 21, wherein the first set of one or more personalized information is user selected.

26. (New) The method according to claim 21, wherein each connection between the first and second portable devices and the computing device comprises a secure WAP session.

27. (New) A method of backing up a plurality of personalized information stored in a portable device having a memory for storing the plurality of personalized information, comprising steps of:

- establishing a connection between said portable device and a computing device;
- receiving a user selection of one or more personalized information to be transmitted to the computing device, wherein the selection is made from the plurality of personalized information; and

- transmitting only the user selection of one or more personalized information to the computing device.

28. (New) The method of claim 27, wherein the connection between the portable device and the computing device comprises a WAP session.

29. (New) A computer readable medium storing computer readable instructions that, when executed by a process, cause a data transfer application on a computing device to perform a method comprising the steps of:

- establishing a connection with a first portable device, the first portable device having a first memory storing a plurality of personalized information;

- receiving a first set of one or more of the plurality of personalized information of the first portable device from said first memory to the computing device using a data transfer application;

- receiving a user selection of a second set of one or more personalized information to transmit to a second portable device, wherein the second set is selected from the first set of one or more personalized information;

- establishing a connection with the second portable device;

modifying the second set of one or more personalized information in accordance with the capabilities of the second portable device; and

transmitting the modified second set of one or more personalized information to the second portable device.

30. (New) The computer readable medium of claim 29, the method further comprising the step of:

evaluating the second portable device's capabilities.

31. (New) The computer readable medium of claim 29, wherein the first set of one or more personalized information is user selected.

32. (New) The computer readable medium of claim 29, wherein each connection between the computing device and the first and second portable devices comprises a WAP session.

33. (New) A computer readable medium storing computer readable instructions that, when executed by a process, cause a data transfer application on a computing device to perform a method comprising the steps of:

establishing a connection between said portable device and a computing device;

receiving a user selection of one or more personalized information to transmit to the computing device, wherein the selection is made from the plurality of personalized information; and

transmitting only the user selection of one or more personalized information to the computing device.

34. (New) The computer readable medium of claim 33, wherein each connection between the computing device and the first and second portable devices comprises a WAP session.

35. (New) A system for transferring personalized information between two or more portable devices, comprising:

a first portable device having a first memory storing a plurality of personalized information;

a second portable device having a second memory;

a computing device, wherein the computing device receives from the first portable device a user selected first set of one or more of the plurality of personalized information; and

a data transfer application stored on the computing device, wherein the data transfer application modifies, in accordance with a capability of the second portable device, a second set of one or more of the plurality personalized information selected from the first set, wherein the second set is selected by a user for transmission to the second portable device.

36. (New) The system of claim 35, wherein the data transfer application evaluates the second phone's capabilities to receive the user selected second set of personalized information.

37. (New) The system of claim 35, wherein each of the first and second data connection comprises a secure WAP session.

38. (New) A system for backing up a plurality of personalized information, comprising:

a computing device; and

a portable device having a memory storing a plurality of personalized information, wherein the portable device receives a user selection of one or more of the plurality of personalized information to transmit to the computing device, wherein the portable device transmits only the user selected one or more of the plurality of personalized information transmits from to the computing device.

39. (New) The system of claim 38, wherein the data connection comprises a secure WAP session.

Appln. No.: 09/788,493

Amendment dated December 27, 2005

Reply to Final Office Action of July 29, 2005

40. (New) The system of claim 38, wherein the personalized information includes at least one of a phone book content, a message content, a profile setting, a phone and call setting or a service setting.